

Codes	Indicator	Baseline Date	Previous performance Date	Latest performance Date	Direction of travel	Previous ONS comparator group rank (of 12 LAs where 1 is worst)	Latest ONS comparator group rank (of 12 LAs where 1 is worst)	Latest compared to England	Comments
Objective 1: Enhance quality of life for people with dementia									
NHS 2.6i CCG 2.13 PH 4.16	Estimated diagnosis rate for people with dementia								
NHS 2.6ii ASC 2F	Effectiveness of post-diagnosis care for people with dementia in sustaining independence and improving quality of life								Data not yet released for these outcomes
CCG 2.14	People with dementia prescribed anti-psychotic medication								
Objective 2: Support people to maintain their independence and dignity									
NHS 2 CCG 2.1	Health-related quality of life for people with long-term conditions (average health status score)								Data not yet released for these outcomes
ASC 1A	Social care-related quality of life (average quality of life score based on responses to the Adult Social Care Survey)		19.3 2011/12	19.2 2012/13	↓			Better	Provisional data for 2012/13
NHS 2.1 CCG 2.2	Proportion of people feeling supported to manage their condition (GP Patient Survey)								Data not yet released for these outcomes
PH 1.08i	Gap in the employment rate between those with long term health condition and the overall employment rate (% point gap in the two employment rates)			3.10% 2012		12	12	Better	No previous performance data
NHS 2.2	Difference in the employment rate between total population and people with a long term condition	21.2% Jul-Sep 2006	9.5% Jan-Mar 2011	10.7% Apr-Jun 2011	↑	6	6	Better	Data available quarterly since Sept 2006
ASC 1H	Percentage of adults in contact with secondary mental health services living independently with or without support		16.5% 2011/12	68.0% 2012/13	↑			Significantly better	Provisional data for 2012/13
ASC 1E	Proportion of people with learning disability in paid employment		9.0% 2011/12	9.2% 2012/13	↑			No significant difference	Provisional data for 2012/13
PH 1.08ii	Gap in the employment rate between those with a learning disability and the overall employment rate (% point gap in the two employment rates)			64.0% 2011/12			3	Worse	No previous performance data
ASC 1F	Proportion of adults with mental health problems in paid employment - % those receiving secondary mental health services recorded in paid employment		3.0% 2011/12	2.1% 2012/13	↓			Significantly worse	Provisional data for 2012/13
ASC 2A(2)	Rate of permanent admission of older people to residential and nursing homes (rate per 100,000 population aged 65+yrs)		856.3 2011/12	878.1 2012/13	↑			No significant difference	Provisional data for 2012/13

Codes	Indicator	Baseline Date	Previous performance Date	Latest performance Date	Direction of travel	Previous ONS comparator group rank (of 12 LAs where 1 is worst)	Latest ONS comparator group rank (of 12 LAs where 1 is worst)	Latest compared to England	Comments
ASC 1C(1)	Proportion of people using social care who receive self-directed support (as % of all receiving community-based/carer-specific services)		24.9% 2011/12	30.4% 2012/13	↑			Significantly worse	Provisional data for 2012/13
ASC 1C(2)	Proportion of people using social care who receive direct payments (as % of all receiving community-based/carer-specific services)		5.70% 2011/12	10.50% 2012/13	↑			Significantly better	Provisional data for 2012/13
NHS 3.1i	Patient assessment of health gain after elective hip replacement		0.43 Oct-Dec 2010	0.40 Jan - Mar 2011	↓			Better	Data not released for CCG version of this indicator. NHS data for PCT not LA
CCG 3.3a			0.41 2010/11	0.42 2011/12	↑			#N/A	Most recent England data 2010/11 mismatch to most recent CCG data 2011/12
PH 3.03xiv	Uptake of 'flu vaccine by over 65s		74.4% 2010/11	75.2% 2011/12	↑	7	4	Significantly better	
PH 3.03xv	Uptake of 'flu vaccine by people at risk of 'flu (% 'at risk' individuals aged 6+ months to 64 yrs vaccinated)		51.7% 2010/11	53.1% 2011/12	↑	8	8	Significantly better	
NHS 3a	Emergency admissions for acute conditions that should not usually require hospital admission (rate per 100,000 population)		264.2 Oct-Dec 2011	282.4 Jan - Mar 2012	↑	7	8	Significantly better	Quarterly data available for Portsmouth LA/PCT compared with annual data in CCG version
CCG 3.1			930.3 2010/11	945.3 2011/12	↑			Significantly worse	
NHS 2.3i	Unplanned hospital admissions for chronic ambulatory care sensitive conditions (rate per 100,000 population)		166.80 Oct-Dec 2011	143.20 Jan - Mar 2012	↓	11	11	Significantly better	Quarterly data available for Portsmouth LA/PCT compared with annual data in CCG version
CCG 2.6			701.30 2010/11	594.48 2011/12	↓			Significantly better	
PH 2.24i	Admissions of older people due to injuries caused by falls (rate per 100,000 population aged 65+ yrs)		1995.4 2010/11	2034.8 2011/12	↑	6	6	Significantly worse	
PH 4.15	Excess winter deaths (Excess of deaths in winter compared with non-winter months as a percentage)		26.1% 2006/2009	26.6% 2007/10	↑	1	1	Significantly worse	
NHS 2.4	Health-related quality of life for carers								Data not available

Codes	Indicator	Baseline Date	Previous performance Date	Latest performance Date	Direction of travel	Previous ONS comparator group rank (of 12 LAs where 1 is worst)	Latest ONS comparator group rank (of 12 LAs where 1 is worst)	Latest compared to England	Comments
ASC 2C(1)	Delayed transfers of care from hospital per 100,000 population		5.4 2011/12	2.8 2012/13	↓			Significantly better	Provisional data for 2012/13
ASC 2C(2)	Delayed transfers of care from hospital attributable to social care per 100,000 population		2.2 2011/12	0.7 2012/13	↓			Significantly better	Provisional data for 2012/13
ASC 2B(2) NHS 3.6ii	Proportion of over 65s who were still at home 91 days after discharge from hospital into re-ablement/rehab services (measure of being offered the service)		3.3% 2011/12	5.5% 2012/13	↑			Significantly better	Data not released for NHS version of this indicator - Using ASCOF data (provisional for 2012/13)
NHS 3b CCG 3.2	Emergency readmissions within 30 days of discharge from hospital (% of emergency admissions)		12.15% 2010/11	12.49% 2011/12 12.65% 2010/11	↑	7	5	Significantly worse	No previous performance data
ASC 2B(1) NHS 3.6i	Proportion of over 65s who were still at home 91 days after discharge from hospital into re-ablement/rehab services (service effectiveness)		70.8% 2011/12	71.6% 2012/13	↑			Significantly worse	Data not released for NHS version of this indicator - Using ASCOF data (provisional for 2012/13)
Objective 3: Ensure all children get the best possible start in life by concentrating on the pre-birth to 5 yrs age group									
PH 1.01	Children living in poverty (% of children living in households where income is less than 60% of household income before housing costs)			25.6% 2010			6	Significantly worse	No previous performance data
PH 1.11	Domestic abuse								Indicator in development
NHS 4.5	Women's experience of maternity services								Only currently available at national level
PH 2.03	Women smoking at time of delivery (% of mother smoking at time of delivery of all births)		17.7% 2010/11	17.5% 2011/12	↓	4	4	Significantly worse	
PH 2.01	Low birthweight of full term babies			2.0% 2010		12	12	Significantly better	No previous performance data
PH 2.02i	Breastfeeding initiation (% of all mothers who breastfeed their babies in the first 48hrs after delivery)		75.4% 2010/11	73.6% 2011/12	↓	5	6	No significant difference	
PH 2.02ii	Breastfeeding at 6-8 weeks (% of all infants due a 6-8 week check that are totally or partially breastfed)		44.4 2010/11	46.1 2011/12	↑	6	7	No significant difference	

Codes	Indicator	Baseline Date	Previous performance Date	Latest performance Date	Direction of travel	Previous ONS comparator group rank (of 12 LAs where 1 is worst)	Latest ONS comparator group rank (of 12 LAs where 1 is worst)	Latest compared to England	Comments
PH 2.05	Child development at 2-2.5 yrs								Indicator in development
PH 2.06i	Proportion of children aged 4-5 years classified as overweight or obese	27.7% 2006/07	24.33% 2010/11	23.00% 2011/12	↓	4	6	No significant difference	
NHS 3.2	Emergency admissions for children with lower respiratory tract infections per 100,000 population		305	101.70	↓	2	9	Significantly worse	Only quarterly data available for Portsmouth LA/PCT
CCG 3.4		Oct-Dec 2011	556.7	560.90	↑			Significantly worse	Only Portsmouth CCG financial year data available
NHS 4.8	Improving children and young people's experience of health care								Placeholder - Indicator still in development
Objective 4: Improve outcomes for local people's health and wellbeing by driving up the quality, and ensuring the safety, of all services									
ASC 4A	Proportion of people who use services who feel safe (Adult Social Care Survey respondents)		69.4%	67.7%	↓			Better	Provisional data for 2012/13
ASC 4B	Proportion of people who use services who say those services have made them feel safe and secure (Adult Social Care Survey respondents)		85.5%	87.9%	↑			Better	Provisional data for 2012/13
PH 2.07i	Rate of hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years per 10,000 resident population		115.7	114.4	↓	7	9	No significant difference	
NHS 4.2	Responsiveness to inpatients' needs (scoring from National Inpatient Survey respondents)		65.9	67.10	↑			Worse	Can't rank as values are by provider
NHS 4.9 ASC 3E	Improving people's experience of integrated care								Indicator in development
ASC 3B	Overall satisfaction of carers with social services (Adult Social Care Survey respondents)			44.3%				No significant difference	Provisional data for 2012/13. No previous performance data
NHS 4.6	Bereaved carers' views on quality of care in the last 3 months of life (National Bereavement Survey (VOICES) respondents)								Only available at national level and SHIP cluster. SHIP performing in middle 60% of PCT clusters