

# Hazard Identification & Risk Assessment Prepared for: Billy Manning Limited

**DOCUMENT NO: 0044-HIRA-001** 













**Revision History** 



Client: Billy Manning Limited.

Project Name: Oktoberfest.

Document Title: Hazard Identification and Risk Assessment.

Document Number: 0044-HIRA-001.

Revision: 2B.

Revision	Date	Description	Prepared By	Checked By	Approved By
1B	26/08/2020	First issue – submitted to client.	Steve Cook		

	Record of Amendments										
Revision Pages Para. Description of Changes											
1B	Initial issue and client transmission.										

#### Confidentiality

The information contained within this document is provided for the sole use of Billy Manning Ltd, authorised clients and subcontractors. Printed copies of this document are considered as uncontrolled.



Doc: 0044-HIRA-001 Revision 2B.

Valid from: 26/08/2020

Page 3 of 8

Client Contact	John Thurston.	HIRA Title	Oktoberfest.					
Risk Assessment No & Revision	0044-HIRA-001 Revision 1B.							
Risk Assessment Status	Submitted for client use.							
Comments	of this document relates only to the sale controls outlined within Billy Manning Li	of alcohol at the even mited's existing suit	the clients own (unseen) risk assessments. The scope ent. Other hazards shall be identified and appropriate e of risk assessments.  equacy, making any changes as required. There is no					

#### **Hazard Identification Guidewords**


Note. This list is not exhaustive and should not be considered as a full list of hazards

Access	Coordination	Explosion	Loss of Power	Power Isolation	Spillage
Adequate Equipment	Depth	Failure	Noise	Pressure	Stored Energy
Blow-On / Blow-Off	Discharge	Fire	Obstructed Vision	Reciprocating	Substances
Body Positioning	Disintegration	Flare / Heat Radiation	Other Operations	Recovery	Surge / Sway
Break / Fracture	Drive	Fumes / Vapour	Overflow	Redundancy	Temperature
Caught Between	Dropped	Heat / Hot Surface	Overload	Release	Tension
Certification	Ejection	Heavy	Overpressure	Rotation	Unauthorised
Chemicals	Electrical Equipment	Height	Particles	Rupture	Unfamiliar
Circulation	Electricity Supply	Impact	Pinch Point	Sharp Edges	Unguarded / Protected
Collision	Entanglement	Injury	Pitch / Roll / Heave	SIMOPS	Vehicles / Traffic
Communication	Environmental	Intake / Discharge	Pollution	Slip, Trip & Fall	Vibration
Confined Space	Ergonomics	Loss of Position	Poor Visibility / Lighting	Smoke	Weather

#### **Common Mitigating & Control Measures**

Note. The following controls are commonly applied as mitigation measures on most tasks and activities

Adequate Supervision	Approved Method Statement / Procedure	Site Induction Training	Task Familiarisation Training	Tool-Box Talks
PPE (Standard Items Only	– Coveralls, Safety Boots, Safety Helmet, Safet	y Specs. All other PPE to be S	Specified to Suit the Task)	





Doc: 0044-HIRA-001 Revision 2B.

Valid from: 26/08/2020

Page **4** of **8** 

							PROBABILITY CLASSIFICATION							
RISK ASSESSMENT MATRIX							Α	В		С	D	E		
KIDK ADDEDDIVIENT IVIATKIA							Highly Improbable	Improbable	Pos	sible	Probable	Frequent		
SEVERITY CLASSIFICATION						A possibility but extremely remote	(very intreduent)		occur nt) during	Is likely to occur often during the	Is likely (common occurrence) to occur			
	Level	Safety / Injury	Health	Pollution	Damage / Financial	Media	chance of occurrence.	during the operation.		eration.	operation.	once or more during every operation.		
5	Catastrophic	Incident resulting in one or more fatalities.	Permanent or terminal health damage.	>100m³	£5M+	National press and TV	MEDIUM	MEDIUM	н	GH	HIGH	нібн		
4	Major	Serious injury or permanent disabilities.	Harmful effects (e. dangerous infections).	g. 1-100m³	£1M-£5M	National press or regional TV	LOW	MEDIUM	MEC	NUIM	нібн	нібн		
3	Serious	Incident resulting in lost time incident.	Moderate effects (e.g. persistent dermatitis).	50Ltr- 1m³	£100k-£1M	Regional or local TV	LOW	LOW	MEDIUM		MEDIUM		MEDIUM	HIGH
2	Moderate	Restricted working or external medical treatment.	Minor health effer (e.g. mild rash).	t 1-50Ltr	£10k-£100k	Local press coverage	LOW	LOW	LOW		LOW		MEDIUM	MEDIUM
1	Minor	First aid injuries or below.	No adverse health effects.	<1Ltr	<£10k	No media coverage	LOW	LOW	ια	)W	LOW	MEDIUM		
						RISK C	LASSIFICATION							
	LOW	without identifica	oceed with care, and ation of any further g controls.	MEDIU		igation into add	ceed with caution, howe ditional controls should b reduce risk where possib	e conducted H	IIGH	•	n must <u>NOT</u> proceed. A	•		
						RISK ASSES	SMENT HIERARCHY							
Status Responsibility to Action Attendees										Evidence Exam	oles			
Level 1 Billy Manning Limited Desktop review with key						ith key interested parties	i.			Signed Level 1 H	IRA.			
	Level 2	Billy Manning	Limited			All key	site personnel.				Signed Level 2 H	IRA.		
	Level 3	Billy Manning	Limited		Pers	onnel Involved	in the planned operation	ns.			Toolbox Talk Records /	Checklists.		



Doc: 0044-HIRA-001 Revision 2B.

Valid from: 26/08/2020

Page **5** of **8** 

Task	Activity & Persons at	Barra Malius and	H15%-1/0	Initial				Resid	lual			Responsibility to
No	Risk	Potential Hazards	Hazard Effect / Consequences	S	Р	R	Control and Mitigating Measures	S	Р	R	ALARP	Action
1	Activity Sale of alcohol at Oktoberfest.  Persons at risk Patrons. Personnel. Third parties.	a) Increased trip likelihood. Includes cables, temporary structures, uneven ground conditions or low lighting levels.	Falls resulting in personal injuries, such as cuts, sprains, fractures and broken bones.	4	С	M	<ul> <li>All cables shall be covered by purpose-built cable runs.</li> <li>If overhead, cables shall be 'flown' as a sufficient height.</li> <li>Staff and patrons shall be made aware of specific hazards through administrative controls (signage).</li> <li>Marquee pegs shall be padded, with marquee guy wires to be made visible with hi-visibility tape or colours to alert people to their presence.</li> <li>Ground to be surveyed for level, with any holes appropriately filled.</li> <li>Lighting shall be augmented as required, at peak pedestrian routes.</li> </ul>	4	В	L	Yes	<ul> <li>Billy Manning Limited Management Team.</li> <li>Event supervision.</li> <li>Event personnel.</li> </ul>
		b) People movements during hours of darkness.	Injuries, for example arising from collisions.	3	С	M	<ul> <li>Temporary and adequate lighting to be installed in all areas used by attendees.</li> <li>Any dark or isolated areas shall be cordoned off to prevent entry.</li> </ul>	3	В	L	Yes	Billy Manning Limited Management Team.     Event supervision.     Event personnel.
		c) Glass.	Cuts.	3	c	M	<ul> <li>Drinks shall not be served in glass.</li> <li>Staff will be vigilant to patrons bring their own glass bottles to the event, and shall confiscate if witnessed.</li> <li>Any broken glass shall be immediately cleared by a member of staff.</li> </ul>	3	А	L	Yes	Billy Manning Limited Management Team.     Event supervision.     Event personnel.
		d) Verbal / physical assault.	Assault, distress and injury.	4	С	M	<ul> <li>Suitable numbers of competent event staff to be deployed.</li> <li>Staff to monitor guests for anti-social behaviour, and call on support as required, including from the police.</li> <li>A friendly and welcoming environment shall be created, with those intoxicated refused service.</li> </ul>	4	В	L	Yes	Billy Manning Limited Management Team.     Event supervision.     Event personnel.



Doc: 0044-HIRA-001 Revision 2B.

Valid from: 26/08/2020

Page 6 of 8

Task	Activity & Persons at	Determined Herounds	Harried Effect / Consequences	Initial			Control and Mikitakina Mananna	Resid	ual			Responsibility to
No	Risk	Potential Hazards	Hazard Effect / Consequences	s	Р	R	Control and Mitigating Measures		S P R ALARP		Action	
		e) Alcohol / drug abuse.	Public order issues and injury.	4	С	X	<ul> <li>Suitable numbers of competent personnel (ride operators) shall be deployed to refuse anyone that is intoxicated to embark upon an amusement ride.</li> <li>Competent bar staff shall refuse service to those that appear intoxicated.</li> <li>A 'challenge 25' policy shall be enforced.</li> </ul>	4	В	_	Yes	<ul> <li>Billy Manning Limited Management Team.</li> <li>Event supervision.</li> <li>Event personnel.</li> </ul>
		f) Children.	Exposure to abusive / harmful patrons.	3	С	M	<ul> <li>No children permitted to evening openings.</li> <li>All children to be accompanied by an adult during daytime opening.</li> <li>Strict guidelines for alcohol sale (challenge 25), with staff to be vigilant to proxy sales.</li> </ul>	3	A	L	Yes	<ul> <li>Billy Manning Limited Management Team.</li> <li>Event supervision.</li> <li>Event personnel.</li> </ul>
		g) Collapse of marquee.	Risk of becoming unstable or of collapse, with the potential for serious / fatal injury.	5	С	Н	<ul> <li>A temporary structure shall be erected by competent contractor.</li> <li>The structure shall be inspected and certified as fit for use by a competent person or authority.</li> <li>Entrance / exit shall be staffed at all times, with number of admissions monitored and capped.</li> </ul>	5	A	М	Yes	<ul> <li>Billy Manning Limited Management Team.</li> <li>Event supervision.</li> <li>Event personnel.</li> </ul>
		Billy Manning Limited sha	all ensure that this document is subject	to ongo	ing revie	ew, and	is updated and disseminated as required.		ı			



Doc: 0044-HIRA-001 Revision 2B.

Valid from: 26/08/2020

Page **7** of **8** 

Name	Company	Role	Signature	Date





Doc: 0044-HIRA-001 Revision 2B.

Valid from: 26/08/2020

Page **8** of **8** 

This sheet is provided for recording the HIRA review with all personnel. Following the review all attendees should sign below to demonstrate receipt and understanding of the HIRA. Comments should be returned to the Project Manager.

Name	Company	Role	Signature	Date
		HGFN		
		DEN.		
		<del>300</del>		
		/		